

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/816,716	04/05/2004	Isidoro Natalio Markus		1177
75	90 02/22/2005		EXAMINER	
Isidoro N. Markus			WHITE, RODNEY BARNETT	
65-36 99 St (1E) Rego Park, NY 11374			ART UNIT	PAPER NUMBER
,			3636	
			DATE MAILED: 02/22/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Symmony	10/816,716	MARKUS, ISIDORO NATALIO				
Office Action Summary	Examiner	Art Unit				
	Rodney B. White	3636				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address	_			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period vortices are reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	nety filed s will be considered timety. the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 28 Ju	une 2004.					
2a) ☐ This action is FINAL . 2b) ☑ This	action is non-final.					
3) Since this application is in condition for allower closed in accordance with the practice under E						
Disposition of Claims						
4) ☐ Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-8 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o						
Application Papers						
9) The specification is objected to by the Examine	ır.					
0) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati nty documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
Attachment(s)						
Notice of References Cited (PTO-892)	4) Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal P	ite atent Application (PTO-152)				
Paper No(s)/Mail Date	6) Other:		*			

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, line 8, "the virtual axis" lacks antecedent basis. On line 9, the phrase "stops of said seat thereto said frames" is unclear and confusing language. Should "thereto" be - - relative to - - or - - with respect to - - instead? On line "therein" have been - - in - - or - - within - - instead? Those 2 lines do not read clearly as written.

In claim 2, line 2, "the rear edge of said seat bottom" lacks antecedent basis.

Claims 3-4 do not end with a period. All claims must end with a period.

In claim 5, line 8, "the virtual axis" lacks antecedent basis. On line 9, the phrase "stops of said seat thereto said frames" is unclear and confusing language. Should "thereto" be - - relative to - - or - - with respect to - - instead? On line "therein" have been - - in - - or - - within - - instead? Those 2 lines do not read clearly as written.

In claim 6, line 7, "the slots lower paths" lacks antecedent basis. Also, "slots" probably should have been - - slot's - -. While such contractions are not recommended in technical writings, it probably should be re-worded to read - - lower

paths of the slots - -. On line 7, "the slots paths" again lacks antecedent basis. And should be corrected in the same manner as recommended above. On line 9, "moveable" should probably be - - moveably - -. On line 11, "the slots paths" again lacks antecedent basis. And should be corrected in the same manner as recommended above. On line 11, "the slots ends" again lacks antecedent basis. And should be corrected in the same manner as recommended above to read -- ends of the slots --. On line 12, "the other end" lacks antecedent basis. The number ends of the "elastic elements" has not been determined previously in the claim. When Applicant refers to "one end" and then later "the other end" it implies that the "elastic members" have only two ends and that is not clear from reading the claims and since a structure could have more than two ends. On line 13, "its upright position stops" is inferentially claimed, as if they were defined in the claim previously when they have not been a t all. On line 15, "the axis of rotation" lacks antecedent basis. On line 15, "moveable" should probably be -- moveably --. On line 15, should "thereunto" be -- to -- or -- with respect to -instead? On line 16, "the cover plates openings" not only lacks antecedent basis, but "plates" should probably be - - plates' - -. But, like above, this inconsistency should be corrected as above. On line 16, "the slots ends" again lacks antecedent basis. Again, "Slots" should be -- slots' -- but the phrase should be re-worded to read .-- ends of the slots - -. On line 16, "runners" is again incorrect and should be - - rotation of the runners

In claim 7, line 7, "said circular segments" lacks antecedent basis because on line 6, Applicant claims "circular segment means" On line 12, "the other end" lacks

Application/Control Number: 10/816,716

Art Unit: 3636

antecedent basis. The number ends of the "elastic elements" has not been determined previously in the claim. When Applicant refers to "one end" and then later "the other end" it implies that the "elastic members" have only two ends and that is not clear from reading the claims and since a structure could have more than two ends. On line 11, "the flanges" lacks antecedent basis. On line 13, "its upright position stops" is inferentially claimed, as if they were defined in the claim previously when they have not been a t all. On line 15, "moveable" should probably be -- moveably --. On line 16, should "thereunto" be -- to -- or -- with respect to -- instead? On line 16, "the cover plates openings" not only lacks antecedent basis, but "plates" should probably be -- plates' --. But, like above, this inconsistency should be corrected as above. On line 16, "the slots ends" again lacks antecedent basis. Again, "Slots" should be -- slots' -- but the phrase should be re-worded to read .-- ends of the slots --. On line 16, "runners" is again incorrect and should be -- rotation of the runners --.

Page 4

In claim 8, line 1, "the virtual transverse axis of rotation" lacks antecedent basis.

On line 2, "the rear edge of said seat bottom" lacks antecedent basis.

The aforementioned problems render the claims vague and indefinite.

Clarification and/or correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 1-2 and 4 are rejected under 35 U.S.C. 102(b) as being anticipated by Sondergeld (U.S. Patent No. 4,861,106).

Sondergeld teaches a reclining chair comprising a structure having two supporting side frames 19,20 or 35, each having at least one substantially horizontal

member and substantially vertical members, said frames disposed in a spaced apart relationship by cross rails 34, 34a; a seat disposed within said frames further comprising a bottom board and a back board connected together and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 21,22 or 40,41 or 49a, 49b or 111,112 located on said horizontal members further defining the virtual axis of rotation and the stops of said seat thereto said side frames and (2) a plurality of plastic runners 23 or 38a,38b or 52a,52b or 109,110 attached to said bottom board and sliding therein said slots, whereby the virtual transverse axis of rotation is horizontally located four to eight inches forward of the rear edge of said seat bottom, whereby the circular ring sector slots are placed into inserts (See Figures 1-26 and specification)

Claims 1- 4 are rejected under 35 U.S.C. 102(b) as being anticipated by Serber (U.S. Patent No. 5,244,252).

Serber teaches a reclining chair comprising a structure having two supporting side frames 43, each having at least one substantially horizontal member and substantially vertical members, said frames disposed in a spaced apart relationship by cross rails; a seat disposed within said frames further comprising a bottom board and a back board connected together and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 42 and 66 located on said horizontal members further defining the virtual axis of rotation and the stops of said seat thereto said side frames and (2) a plurality of plastic runners attached to said bottom

board and sliding therein said slots, whereby the virtual transverse axis of rotation is horizontally located four to eight inches forward of the rear edge of said seat bottom, whereby the runners are wheels 41 and 96 whereby the circular ring sector slots are placed into inserts (See Figures 1-6 and specification).

Claims 1- 4 are rejected under 35 U.S.C. 102(b) as being anticipated by Serber (U.S. Patent No. 5,558,399).

Serber teaches a reclining chair comprising a structure having two supporting side frames 43, each having at least one substantially horizontal member and substantially vertical members, said frames disposed in a spaced apart relationship by cross rails; a seat disposed within said frames further comprising a bottom board and a back board connected together and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 42 and 66 located on said horizontal members further defining the virtual axis of rotation and the stops of said seat thereto said side frames and (2) a plurality of plastic runners attached to said bottom board and sliding therein said slots, whereby the virtual transverse axis of rotation is horizontally located four to eight inches forward of the rear edge of said seat bottom, whereby the runners are wheels 41 and 96 whereby the circular ring sector slots are placed into inserts (See Figures 1-7 and 9 and specification).

Claims 1- 4 are rejected under 35 U.S.C. 102(b) as being anticipated by Serber (U.S. Patent No. 5,735,574).

Serber teaches a reclining chair comprising a structure having two supporting side frames 43, each having at least one substantially horizontal member and substantially vertical members, said frames disposed in a spaced apart relationship by cross rails; a seat disposed within said frames further comprising a bottom board and a back board connected together and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 42 and 66 located on said horizontal members further defining the virtual axis of rotation and the stops of said seat thereto said side frames and (2) a plurality of plastic runners attached to said bottom

board and sliding therein said slots, whereby the virtual transverse axis of rotation is

horizontally located four to eight inches forward of the rear edge of said seat bottom,

whereby the runners are wheels 41 and 96 whereby the circular ring sector slots are

Claims 1- 4 are rejected under 35 U.S.C. 102(e) as being anticipated by Veneruso (U.S. Patent No. 6,641,214 B2).

placed into inserts (See Figures 1-7 and 9 and specification).

Veneruso teaches a reclining chair comprising a structure having two supporting side frames, each having at least one substantially horizontal member and substantially vertical members, said frames disposed in a spaced apart relationship by cross rails; a seat disposed within said frames further comprising a bottom board and a back board connected together and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 7 located on said horizontal members further defining the virtual axis of rotation and the stops of said seat thereto said side

Page 9

frames and (2) a plurality of plastic runners attached to said bottom board and sliding therein said slots, whereby the virtual transverse axis of rotation is horizontally located four to eight inches forward of the rear edge of said seat bottom, whereby the runners are wheels 12,13 whereby the circular ring sector slots are placed into inserts (See Figures 1-2 and specification).

Claim 5 is rejected under 35 U.S.C. 102(b) as being anticipated by Pipon et al (U.S. Patent No. 4,842,232).

Pipon et al teach reclining chair comprising a structure having two supporting side frames, each having at least one substantially horizontal member and substantially vertical members, said frames disposed in a spaced apart relationship by cross rails, a seat disposed within said frames further comprising a bottom board and a back board connected together; and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 1b located on said bottom board further defining the virtual axis of rotation and the stops of said seat thereto said side frames and (2) a plurality of plastic runners attached to said horizontal members and sliding therein said slots.

Claim 5 is rejected under 35 U.S.C. 102(b) as being anticipated by Carroll (U.S. Patent No. 6,106,065).

Carroll teach reclining chair comprising a structure having two supporting side frames, each having at least one substantially horizontal member and substantially

vertical members, said frames disposed in a spaced apart relationship by cross rails, a seat disposed within said frames further comprising a bottom board and a back board connected together; and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 54 located on said bottom board further defining the virtual axis of rotation and the stops of said seat thereto said side frames and (2) a plurality of plastic runners 48a,48b attached to said horizontal members and sliding therein said slots.

Claim 5 is rejected under 35 U.S.C. 102(b) as being anticipated by Maxwell (U.S. Patent No. 4,957,302).

Carroll teach reclining chair comprising a structure having two supporting side frames, each having at least one substantially horizontal member and substantially vertical members, said frames disposed in a spaced apart relationship by cross rails, a seat disposed within said frames further comprising a bottom board and a back board connected together; and means for supporting said seat including (1) a plurality of concentric circular ring sector shaped slots 82,84 located on said bottom board further defining the virtual axis of rotation and the stops of said seat thereto said side frames and (2) a plurality of plastic runners 58,60 attached to said horizontal members and sliding therein said slots.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Markus teaches a chair similar in structure and concept to the

present invention. Rogers and Maddox teach the use of slots in a reclining chair but does not teach the cross rails.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney B. White whose telephone number is (703) 308-2276. (This number will be (571) 272-6863 once the move to the new U.S. Patent And Trademark Office facility in Alexandria, Virginia, is complete.)

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Cuomo can be reached on (703) 308-0827. (This number will be (571) 272-6856 once the move to the new U.S. Patent And Trademark Office facility in Alexandria, Virginia, is complete.) The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Rodney B. White, Patent Examiner Art Unit 3636 February 17, 2005

PODNEY B. WHITE